

Non-Metro Area Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)
Q80.AGE 18-24 YEARS	10094	803	13.0	(11.2, 14.7)	12
Q80.AGE 65+ YEARS	10094	2201	13.7	(12.6, 14.9)	14
Q116/Q98. BLACKS	10059	357	4.4*	(3.5, 5.2)	14.1
Q73. FEMALES	10134	6368	51.4	(49.4, 53.4)	52.5
Q113/Q95. HOUSEHOLD INCOME <= \$15,000	9180	2503	17.4	(16.0, 18.8)	17.0
Q1 .IN FAIR/POOR HEALTH	10119	2545	18.1	(16.9, 19.3)	17.3
Q2 .OFTEN VERY DEPRESSED	10109	1282	10.2	(9.3, 11.2)	8.9
Q9 .HIGH BLOOD PRESSURE EVER	10121	3370	26.2	(24.7, 27.7)	25.8
Q9 .HIGH BLOOD PRESSURE IN PAST YR	10121	1457	11.5	(10.5, 12.4)	10.8
Q9 .HEART DISEASE EVER	10120	1463	11.2	(10.2, 12.2)	10.1
Q9 .HEART DISEASE IN PAST YR	10120	506	3.8	(3.2, 4.4)	3.4
Q9 .DIABETES EVER	10104	976	7.9	(7.2, 8.7)	8.0
Q9 .DIABETES IN PAST YR	10104	376	2.8	(2.4, 3.2)	2.5
Q9 .STROKE EVER	10116	310	2.1	(1.7, 2.4)	1.9
Q9 .STROKE IN PAST YR	10116	68	0.4	(0.3, 0.6)	0.3
Q9 .SEIZURE EVER	10120	270	2.4	(2.0, 2.9)	2.2
Q9 .SEIZURE IN PAST YR	10120	71	0.5	(0.3, 0.7)	0.6
Q9 .LUNG DISEASE EVER	10118	610	5.3	(4.6, 6.0)	4.7
Q9 .LUNG DISEASE IN PAST YR	10118	220	1.8	(1.4, 2.1)	1.5
Q9 .PNEUMONIA EVER	10110	2199	19.8	(18.5, 21.1)	19.0
Q9 .PNEUMONIA IN PAST YR	10110	333	2.8	(2.2, 3.4)	2.6
Q9 .TUBERCULOSIS EVER	10121	104	0.7	(0.5, 1.0)	0.5
Q9 .CANCER EVER	10095	899	6.6	(5.8, 7.4)	6.2
Q9 .CANCER IN PAST YR	10095	193	1.4	(1.0, 1.7)	1.4
Q9 .CHRONIC STOMACH PROBLEMS EVER	10117	2102	19.0	(17.6, 20.5)	17.5
Q9 .CHRONIC STOMACH PROBLEMS IN PAST YR	10117	701	6.8	(5.6, 8.0)	5.9
Q9 .GALLBLADDER PROBLEMS EVER	10114	1372	9.9*	(9.0, 10.7)	8.2
Q9 .GALLBLADDER PROBLEMS IN PAST YR	10114	181	1.3	(1.0, 1.6)	1.1
Q9 .LIVER PROBLEMS EVER	10112	344	3.3	(2.7, 3.8)	2.9
Q9 .LIVER PROBLEMS IN PAST YR	10112	48	0.4	(0.2, 0.6)	0.3
Q9 .INJURY EVER	10106	5673	58.1	(56.2, 60.1)	57.3
Q9 .INJURY IN PAST YR	10106	966	10.0	(8.9, 11.1)	9.3
Q9 .HIV/AIDS EVER	10113	18	0.1	(0.0, 0.2)	0.1
Q9 .JOINT PROBLEMS EVER	10114	3531	28.6	(27.0, 30.2)	27.7
Q9 .JOINT PROBLEMS IN PAST YR	10114	1523	12.6	(11.6, 13.7)	12.2

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Non-Metro Area Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)
Q9 .KIDNEY DISEASE EVER	10102	556	4.4	(3.8, 5.1)	4.4
Q9 .KIDNEY DISEASE IN PAST YR	10102	154	1.0	(0.7, 1.3)	1.1
Q9 .MENTAL ILLNESS EVER	10055	798	7.1	(6.3, 7.8)	6.1
Q9 .MENTAL ILLNESS IN PAST YR	10055	333	3.2	(2.6, 3.7)	2.5
Q9 .LEARNING PROBLEMS EVER	10039	233	2.6	(2.1, 3.1)	2.6
Q9 .LEARNING PROBLEMS IN PAST YR	10039	51	0.5	(0.3, 0.7)	0.4
Q9 .OTHER MAJOR ILLNESS EVER	10096	2073	18.7	(17.4, 20.0)	16.9
Q9 .OTHER MAJOR ILLNESS IN PAST YR	10096	545	5.0	(4.3, 5.7)	4.5
Q10.EVER INJURED IN TRAFFIC CRASH	10130	3016	31.1	(29.3, 32.9)	32.1
Q10.INJURED IN CRASH IN PAST YR	10121	217	2.4	(1.9, 2.9)	2.6
Q10.INJURED IN CRASH IN PAST 30 DAYS	10118	29	0.4	(0.2, 0.6)	0.3
Q11.INJURIES OTHER THAN FROM CRASHES	10092	6050	63.0	(61.1, 64.9)	61.0
Q11.OTHER INJURIES IN PAST YR	10096	959	10.2	(9.1, 11.2)	9.2
Q11.OTHER INJURIES IN PAST 30 DAYS	10072	197	1.8	(1.4, 2.2)	1.7
Q12.HAVE ANY KIND OF HEALTH CARE COVERAG	10100	9314	91.8	(90.8, 92.8)	91.9
Q12.PRIVATE INSURANCE PLAN	10083	5761	65.2	(63.3, 67.1)	65.9
Q12.TENNCARE	10088	1333	11.7	(10.2, 13.2)	11.1
Q12.MEDICARE	10085	1835	11.4	(10.5, 12.4)	12.5
Q12.OTHER TYPE OF INSURANCE	10071	455	4.0	(3.1, 4.8)	3.4
Q12.SUPPLEMENTAL HEALTH INSURANCE	9195	2678	24.5	(22.7, 26.3)	25.4
Q13.COULD NOT GET MEDICAL CARE PAST YR	10123	702	6.1	(5.4, 6.8)	7.6
Q14.HAS A USUAL SOURCE OF HEALTH CARE	10106	8935	87.0	(85.8, 88.2)	85.2
Q15.EVER SEEN A DOCTOR FOR PHYS HEALTH	10106	7214	71.0	(69.2, 72.8)	70.6
Q15.SAW DOCTOR FOR PHYS HEALTH PAST YR	10106	3953	37.2	(35.1, 39.3)	37.1
Q15.USED EMERG ROOM FOR CARE EVER	10110	7277	73.2	(71.5, 74.8)	71.5
Q15.USED EMERG ROOM FOR CARE IN PAST YR	10110	2020	19.3	(18.1, 20.5)	19.6
Q15.EVER ADMITTED TO HOSPITAL	10109	8329	79.4*	(78.0, 80.8)	76.2
Q15.ADMITTED TO HOSPITAL IN PAST YR	10109	1200	10.4	(9.5, 11.3)	10.0
Q15.ROUTINE CHECKUP EVER	10102	9083	90.4	(89.4, 91.4)	90.8
Q15.ROUTINE CHECKUP IN PAST YR	10102	5407	52.9	(50.7, 55.1)	54.6
Q17.EVER RECEIVED MENTAL HEALTH TREATMNT	10093	1162	12.5	(10.7, 14.2)	11.8
Q17.MENTAL HEALTH RX IN PAST YR	10093	394	4.0	(3.4, 4.6)	3.7
Q17.EVER ADMITTED FOR PSYCH PROBLEMS	10045	331	2.7	(2.2, 3.1)	3.1
Q17.ADMITTED FOR PSYCH PROB IN PAST YR	10045	32	0.3	(0.1, 0.5)	0.3
Q18.EVER ATTEMPTED SUICIDE	10081	311	3.0	(2.5, 3.5)	2.4

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Non-Metro Area Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)
Q18.SUICIDE ATTEMPT IN PAST YR	10081	34	0.4	(0.2, 0.6)	0.4
Q20.EVER DRANK CAFFEINE	10133	10011	99.1	(98.8, 99.3)	98.7
Q20.DRANK CAFFEINE IN PAST YR	10132	9717	96.8	(96.2, 97.4)	96.7
Q20.DRANK CAFFEINE IN PAST 30 DAYS	10081	9476	95.1	(94.4, 95.8)	94.1
Q20.EVER HOOKED ON CAFFEINE	10022	3088	32.4*	(30.4, 34.4)	29.4
Q20.NOW HOOKED ON CAFFEINE	9974	2462	26.1	(24.1, 28.2)	23.5
Q21.EVER SMOKED 100 CIGARETTES	10121	5451	55.0*	(53.1, 57.0)	51.1
Q21.SMOKED IN PAST YR	10120	3221	32.3	(30.7, 33.9)	30.1
Q21.SMOKED IN PAST 30 DAYS	10114	3015	30.2	(28.6, 31.8)	28.3
Q22.EVER USED OTHER KINDS OF TOBACCO	10107	2213	26.4	(24.8, 28.1)	23.9
Q22.USED OTHER TOBACCO IN PAST YR	10103	1086	13.5*	(12.1, 14.9)	11.5
Q22.USED OTHER TOBACCO IN PAST 30 DAYS	10094	854	10.0*	(9.0, 11.1)	8.4
Q23.EVER HOOKED ON TOBACCO	10064	3965	40.4*	(38.6, 42.2)	37.2
Q23.NOW HOOKED ON TOBACCO	10034	2732	27.5	(25.8, 29.1)	25.3
Q24.EVER DRANK ALCOHOL	10129	7155	79.2	(77.9, 80.5)	79.5
Q24.DRANK ALCOHOL PAST YR	10116	3945	49.5*	(47.5, 51.5)	52.5
Q24.BINGED PAST YR (5+DRINKS)	10129	1254	16.4	(15.0, 17.8)	15.8
Q24.DRANK ALCOHOL PAST 30 DAYS	10099	2464	32.3*	(30.4, 34.2)	35.9
Q24.DRANK ALCOHOL PAST 2 WEEKS	10129	1934	25.7	(24.0, 27.5)	28.1
Q24.EVER HOOKED ON ALCOHOL	10099	560	6.1	(5.3, 6.8)	6.7
Q24.NOW HOOKED ON ALCOHOL	10095	110	1.1	(0.8, 1.5)	1.0
Q25.EVER USED SEDATIVES	10068	1771	17.0	(15.7, 18.3)	15.8
Q25.USED SEDATIVES IN PAST YR	10066	771	7.1	(6.3, 7.9)	6.4
Q25.USED SEDATIVES IN PAST 30 DAYS	10068	480	4.4*	(3.8, 5.1)	3.5
Q25.EVER USED TRANQUILIZERS	10082	2878	27.5	(25.8, 29.2)	26.7
Q25.USED TRANQUILIZERS IN PAST YR	10080	1255	11.0	(10.1, 12.0)	10.7
Q25.USED TRANQUILIZERS IN PAST 30 DAYS	10082	875	7.6	(6.8, 8.3)	7.4
Q25.EVER USED STIMULANTS	10087	883	10.3	(9.2, 11.4)	9.5
Q25.USED STIMULANTS IN PAST YR	10087	168	1.8	(1.3, 2.2)	1.4
Q25.USED STIMULANTS IN PAST 30 DAYS	10087	77	0.9	(0.6, 1.1)	0.6
Q25.EVER USED PAINKILLERS	10015	5925	61.6	(59.8, 63.4)	60.2
Q25.USED PAINKILLERS IN PAST YR	10012	2217	21.8	(19.8, 23.9)	22.2
Q25.USED PAINKILLERS IN PAST 30 DAYS	10015	1004	9.2	(7.5, 10.9)	8.4
Q26.EVER ABUSED PRESCRIPTION DRUGS	10129	556	6.4	(5.5, 7.2)	6.5
Q26.ABUSED PRESCRIP DRUGS IN PAST YR	10129	95	1.2	(0.8, 1.6)	1.2

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Non-Metro Area Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)
Q26.ABUSED PRESCRIP DRUGS IN PAST 30 DAY	10129	36	0.5	(0.2, 0.7)	0.3
Q27.EVER HOOKED ON PRESCRIPTION DRUGS	10129	232	2.3	(1.8, 2.7)	2.0
Q27.NOW HOOKED ON PRESCRIPTION DRUGS	10127	60	0.5	(0.3, 0.7)	0.4
Q28.EVER USED STEROIDS	10034	1712	16.2	(14.9, 17.4)	15.7
Q28.USED STEROIDS IN PAST YR	10031	640	5.8	(5.1, 6.6)	5.6
Q28.USED STEROIDS IN PAST 30 DAYS	10034	287	2.5	(2.0, 2.9)	2.2
Q28.EVER ABUSED STEROIDS	10034	29	0.5	(0.2, 0.7)	0.4
Q28.EVER HOOKED ON STEROIDS	10012	12	0.1	(0.1, 0.2)	0.2
Q28.NOW HOOKED ON STEROIDS	10011	5	0.0	(0.0, 0.1)	0.1
Q29.EVER USED MARIJUANA	10115	2175	26.7	(24.9, 28.4)	28.8
Q29.USED MARIJUANA IN PAST YR	10114	345	4.3	(3.6, 5.0)	5.1
Q29.USED MARIJUANA IN PAST 30 DAYS	10115	189	2.4	(1.9, 2.9)	2.6
Q29.EVER HOOKED ON MARIJUANA	10114	166	2.4	(1.7, 3.0)	2.2
Q29.NOW HOOKED ON MARIJUANA	10116	41	0.7	(0.4, 1.0)	0.5
Q30.EVER USED COCAINE	10106	541	7.1	(6.1, 8.1)	7.0
Q30.USED COCAINE IN PAST YR	10106	62	1.0	(0.6, 1.4)	0.8
Q30.USED COCAINE IN PAST 30 DAYS	10106	23	0.4	(0.1, 0.6)	0.2
Q30.EVER HOOKED ON COCAINE	10105	78	1.0	(0.7, 1.3)	0.8
Q30.NOW HOOKED ON COCAINE	10105	10	0.1	(0.0, 0.2)	0.1
Q31.EVER USED HEROIN	10122	56	0.5	(0.3, 0.8)	0.9
Q31.USED HEROIN IN PAST YR	10122	4	0.1	(0.0, 0.2)	0.1
Q31.EVER HOOKED ON HEROIN	10121	13	0.1	(0.1, 0.3)	0.1
Q32.EVER USED HALLUCINOGENS	10110	435	6.0	(5.1, 7.0)	5.7
Q32.USED HALLUCINOGENS IN PAST YR	10110	40	0.8	(0.4, 1.1)	0.8
Q32.USED HALLUCINOGENS IN PAST 30 DAYS	10110	9	0.2	(0.1, 0.3)	0.2
Q32.EVER HOOKED ON HALLUCINOGENS	10110	11	0.1	(0.0, 0.2)	0.1
Q33.EVER USED INHALANTS	10127	155	1.9	(1.5, 2.3)	2.1
Q33.USED INHALANTS IN PAST YR	10127	13	0.2	(0.0, 0.5)	0.2
Q33.EVER HOOKED ON INHALANTS	10126	14	0.2	(0.0, 0.4)	0.2
Q33.NOW HOOKED ON INHALANTS	10126	3	0.1	(0.0, 0.2)	0.1
Q34.EVER INJECTED DRUG FOR NON-MED REASO	10115	79	0.9	(0.6, 1.2)	0.7
Q35.EVER DRIVEN AFTER DRINKING	10133	4023	48.4	(46.4, 50.4)	49.4
Q35.DRIVEN AFTER DRINKING IN PAST YR	10133	768	10.2*	(9.1, 11.3)	12.9
Q35.EVER DRIVEN AFTER 5 OR MORE DRINKS	10133	2104	25.9	(24.1, 27.7)	24.6
Q35.DRIVEN AFTER 5 DRINKS IN PAST YR	10133	216	3.0	(2.3, 3.7)	3.4

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Non-Metro Area Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)
Q35.EVER DRIVEN AFTER USING PRESCRIP DRUGS IN PAST YR	10133	3147	34.6	(32.7, 36.5)	33.2
Q35.DRIVEN AFTER PRESCRIPTION IN PAST YR	10133	1801	18.0	(16.8, 19.3)	18.1
Q35.EVER DRIVEN AFTER USING OTHER DRUGS	10133	841	10.8	(9.4, 12.2)	10.7
Q35.DRIVEN AFTER OTHER DRUGS IN PAST YR	10133	252	3.3	(2.6, 4.0)	3.1
Q67.EVER RECEIVED RX FOR ALCOHOL PROBLEM	10133	233	2.9	(2.3, 3.4)	2.5
Q67.RECEIVED RX FOR ALCOHOL PROB IN PAST	10133	48	0.5	(0.4, 0.7)	0.4
Q68.EVER RECEIVED RX FOR OTHER DRUG PROB	10133	93	1.2	(0.9, 1.6)	1.1
Q68.RX FOR OTHER DRUG PROB IN PAST YR	10133	17	0.2	(0.1, 0.3)	0.2

Source: Community Health Research Group at the University of Tennessee, Knoxville, and Tennessee Department of Health

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."